

HEALTH SCIENCES

Family Medicine

Responding to Sensitive Health and Social Issues in Research Interviews

December 19, 2017



Agenda

- Interpersonal techniques: diffusing difficult situations
- 2. Role play
- 3. Supporting one another
- 4. Relevant policies and procedures
- 5. Self care





Learning Objectives

 Identify and apply interpersonal approaches to diffuse difficult or sensitive situations

 Understand departmental procedures for managing, debriefing, and reporting incidents

Learn about and practice self-care





Context¹

- Collecting sensitive research data is <u>typically</u> understood as qualitative (field) research with vulnerable populations
- But these issues can emerge anywhere or any time: we are asking people about their <u>health</u>
- Possible risks to researchers:
 - 1. From hearing about intensely personal experiences (risk of psychological harm and emotional distress)
 - 2. From collecting data in homes or other locations (personal safety)





Context¹

- Possible impacts on researchers:
 - Desensitized to own experiences of conducting sensitive research
 - Desensitized to own personal safety
- Universities beginning to address risk management responsibilities within the ethics clearance process
 - Subjective: it is difficult to assess risk
 - Will review our policies and procedures; more work to do







HEALTH SCIENCES Family Medicine

INTERPERSONAL TECHNIQUES



Recognizing Difficult Situations

- Difficult or critical/crisis situations can take a lot of forms, e.g., participant is:
 - -Very emotional, tearful, upset
 - Very confused, frazzled
 - Very frustrated, able or unable to verbalize what they want/need
 - Very angry, shouting
 - Expressing threats of physical harm
 - Expressing suicidal thoughts or plans
 - Acting out physically





The Crisis Defusing Process (1-2)²

- Step One: Awareness
 - -Review the situation, your feelings, location
- Step Two: Containment
 - Keep your own emotions in check, talk slowly, be ready to disengage





The Crisis Defusing Process (3-4)²

Step Three: Recognition

- –Listen & validate
- -Remember your role is not to counsel or give advice

Step Four: Closing

Thank individual for staying connected, work on next procedural step





If a Person Seems to be in Crisis³

Most of what you see in people in crisis is fear. Reducing a person's fear can help de-escalate a situation

- Remain Calm
- Communicate ask questions, listen, avoid interrupting
- Don't criticize or ridicule
- Offer choices





If a Person Seems to be in Crisis³

- Decrease distractions.
- Make a statement about the behaviour you're observing and ask about it (e.g. "You seem to be afraid/angry/confused. Is this right?")
- Repeat questions or statements if necessary
- Don't assume what the problem is





If a Person Seems to be in Crisis³

- Be an ally to the person
- Avoid judgmental, authoritative statements
- Allow the person as much physical space as you can – don't stand over them, get too close, or block the doorway
- Don't shout
- Explain clearly what you are doing and why you are doing it





If You Are Verbally Attacked⁴

- Mentally: separate yourself from the issues a person is dealing with – it's not you!
- Don't defend yourself or retaliate
- Deal first with their emotions acknowledge
- Invite the angered party to continue in a concrete fashion
- Use reflective listening
- When they attack you, recast it as an attack on the problem





If You Are Verbally Attacked⁴

- Explore ideas they offer as legitimate options
- Ask what could be done now to improve things
- Agree on at least one point
- "Yes And"
- Repeat their statement slowly, verbatim
- Keep silent and maintain normal eye contact





If a Person Displays Violent Behaviour

- If you are faced with a person who is acting out violently or is threatening to act out:
 - -Remain calm
 - -Give the violent person space
 - –Speak in a non-threatening manner
 - –Leave the situation, always facing the respondent





If a Person Expresses Suicidal Ideation

- Be empathetic, listen to their story follow the crisis tips from earlier in this presentation
- If you feel comfortable, work to gauge the level of risk by asking something like:
 - -"Are you planning to do something to hurt yourself?" / "Do you have a plan to carry out these thoughts?"
- Follow the departmental procedures for suicidal risk identification and action







HEALTH SCIENCES Family Medicine

ROLE PLAY



Recognizing Difficult Situations

- Difficult or critical/crisis situations can take a lot of forms, e.g., participant is:
 - Very emotional, tearful, upset
 - Very confused, frazzled
 - Very frustrated, able or unable to verbalize what they want/need
 - Very angry, shouting
 - Expressing threats of physical harm
 - Expressing suicidal thoughts or plans
 - Acting out physically







HEALTH SCIENCES Family Medicine

SUPPORTING ONE ANOTHER



Debriefing

Create opportunities to debrief with your team on informal basis

- Schedule them in to team meetings to discuss emotional burden, management of this, and interviewing skills
- Peer support really important; works well





Debriefing cont'd

Consider if more formal debriefing is necessary

- Request PI supervision (or other expertise)
- Employ strategies of reflexivity and ethical mindfulness⁵
- Training for emotional safety
- -Build into ethics (how, when, where to access support)
- Schedule into budgets and timelines







HEALTH SCIENCES Family Medicine

POLICIES AND PROCEDURES



Relevant Policies and Procedures

- 1. Critical Incident Reporting
 - >dfmresearch>Systems and Processes
 - >Incident Reporting
- 2. Suicidality SOP>in final approval
- 3. Home Visiting SOP>under development
- ➤ Report any critical incidents or suicidality, or anything else out of the ordinary, to Laura







HEALTH SCIENCES Family Medicine

SELF CARE





Self-Nurturing Activities

- Have breakfast in bed
- Get a massage
- Pet your pet
- Walk on a scenic path
- Take a bubble bath
- Visit a zoo
- Stop and smell some flowers
- Go to the beach
- Take a scenic drive
- Meditate
- Browse in a book or record score for as long as you want
- Visit a museum or another interesting place

- Watch the sunset.
- Relax with a good book
- Play your favourite music and dance to it by yourself
- Go to bed early
- Sleep outside under the stars
- Call a good friend
- Work on a puzzle
- Bake or cook something special
- Go window shopping
- Listen to a positive, motivational recording
- Exercise





Homewood Health

- McMaster's Employee and Family Assistance Program (EFAP)
- Confidential counselling available in person, by phone, by video, or online, on topics such as:
 - •Family/Childcare/Parenting/ Eldercare
 - Marital
 - Relationships
 - Addictions
 - Anxiety
 - Depression

- Life Transitions/Change
 - Grief/Bereavement
 - Stress
 - Workplace Issues
 - Financial/Legal
 - Lifestyle
- Other Personal Issues

1-800-663-1142





Other Emotional Wellness Supports at McMaster and Beyond

- Learn about mental health <u>resources</u> at McMaster for faculty and staff
- Explore supports for you and your family
- Support your direct reports. Consider these <u>resources for managers</u>
- Discover ways to <u>manage your stress</u>
- Take a <u>Mental Health First Aid</u> course
- Explore <u>Healthy Workplace Committee</u> initiatives
- National Standard for Mental Health in the Workplace
- Muse Headband research (from Mac too!)

Family Medicine

References

- 1. Bahn, S. & Weatherill, P. (2012). Qualitative social research: a risky business when it comes to collecting 'sensitive' data. *Qualitative Research*, 13 (1): pp. 19-35.
- 2. Crisis & Trauma Resource Institute (CTRI). The Crisis Defusing Process.
- 3. Canadian Mental Health Association (CMHA) Ontario. (2009). Tip sheet: How to respond to someone in a mental health crisis. *Network Magazine*.
- 4. SK522, WLU. (2014). What To Do When You Are Verbally Attacked (handout).
- 5. Bowtell, E. C., Sawyer, S. M., Aroni, R. A., Green, J. B., & Duncan, R. E. (2013). "Should I send a condolence card?" Promoting emotional safety in qualitative health research through reflexivity and ethical mindfulness. *Qualitative Inquiry*, 19(9), 652-663.





Additional Resources

See folder in shared drive

dfmresearch>Training and Resources>In-services

- >Responding to Sensitive Health & Social Issues
- >Literaure
- >Self Care
- >Crisis Management





Practicing Mindfulness





https://youtu.be/aNCB1MZDgQA --- Mind the Bump: overview of mindfulness, 3 min

https://youtu.be/8oWmGJc8NWI -- 3 min guided meditation with man's voice https://youtu.be/SEfs5TJZ6Nk -- 3 min guided meditation with woman's voice https://youtu.be/1nP5oedmzkM -- a TedTalk from neuroscientist

<u>http://www.choosemuse.com/research/</u> -- Muse headband research and website







HEALTH SCIENCES

Family Medicine

Department of Family Medicine Michael G. DeGroote School of Medicine Faculty of Health Sciences

> fhs.mcmaster.ca/fammed @McMasterFamMed